

MATERIAL SAFETY DATA SHEET

ISSUED 07.04.03 INTERNAL NUMBER PAGE 1 (3)

MICA 40L

x Approved for	use	Approved for lab use only			
1. PRODUCT AND COMPANY					
TRADE NAME: MICA 40L					
CHEM NAME:					
SUPPLIER	Calderys UK				
ADDRESS	5-8 Ashfield Way, Whitehall Estate, Whitehall Road, Leeds, LS12 5JB				
POSTCODE	LS12 5JB				
TELEPHONE	+44 (0) 113 263 6268				
FAX	+44 (0) 113 279 0539				
ISSUED BY	NEIL ELLIS				

2. COMPOSITION OF PRODUCT				
NO.	NAME:	CAS-no:	Conc (W%)	Classif:
1	Mica		95-100%	
2	Synthetic Resin		Max 2%	
Legend	Tx=Very toxic, T=Toxic, C=Corrosive, Xn=Harmful, XI=Irritant, IK=No classification required, E=Explosive O=Oxidising, FX=Extremely Flammable, Fo=Flammable, N=Danger to the environment, Mut=Genotoxic, Sens=Sensitizing, Carc=Carcinogen, Repr=Causes birth defects, H=(skin absorption)			

3. HAZARD IDENTIFICATION

RESPONSIBLE PETER FLYNN

Little or no hazard when used correctly at normal ambient temperatures as long as good standards of industrial and personal hygiene are practised.

4.FIRST AID

Inhalation:

Persons known to have a history of dermatitis, skin sensation or asthma should not work in direct contact with these products, except with medical approval.

Skin Contact:

Wash off immediately with plenty of water. If skin irritation persists, call physician.

Eye Contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult physician.

5. FIRE FIGHTING MEASURES

Extinguishing Media:

Conventional

CALDERYS UK LTD.

Units 5-8 Ashfield Way, Whitehall Estate, Whitehall Road, Leeds, West Yorkshire, LS12 5JB. Tel: 44 (0) 113 2636268

VAT Registration No: GB 170 247 482

Fax: 44 (0) 113 2790539 Registered No: GB 1039428





MATERIAL SAFETY DATA SHEET

issued internal number page 2 (3)

MICA 40L

Fire Fighting:

Conventional

Fire and Explosion Hazards

Not Flammable.

6. ACCIDENTAL RELEASE MEASURES

Use personal protective equipment. Shovel or sweep up.

7. HANDLING AND STORAGE

Handling:

No special safety regulations

Storage:

Keep in a dry place.

8. EXPOSURE CONTROL/ PERSONAL PROTECTION

TLV'S

Name:	Cas-no:	TLV:
SYNTHETIC RESIN		
MICA		

EYE PROTECTION:

Safety glasses are used if necessary

HAND PROTECTION:

Protection gloves are used if necessary

SKIN PROTECTION:

The use of barrier cream on exposed skin is recommended to minimize dermatitic risk.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:		
Colour:		
Odour:		
Solubility:		
Melting point / range:	Boiling point / range:	
Density:	Flash point:	
Expl. Limit LEL-UEL %:	pH concentrate:	

CALDERYS UK LTD.

Units 5-8 Ashfield Way, Whitehall Estate, Whitehall Road, Leeds, West Yorkshire, LS12 5JB. Tel: 44 (0) 113 2636268 Fax: 44 (0) 113 2790539

Registered No: GB 1039428

VAT Registration No: GB 170 247 482





MATERIAL SAFETY DATA SHEET

internal number page 3 (3)

MICA 40L

10. STABILITY AND REACTIVITY
11. TOXICOLOGICAL INFORMATION
None, in limits of industrial hygiene
12. ECOLOGICAL INFORMATION
13. DISPOSAL
Off-cuts of material should be swept up and placed in a container for disposal. Can be deposited in regular waste plac (see local waste regulations)
14. TRANSPORT INFORMATION
15. REGULATORY INFORMATION
Clasiff.:
Composition: Mica, Synthetic resin
16. OTHER INFORMATION
REVISION DATE: 07/04/03 Replaces MSDS of 18/12/98.
VENDOR NOTES
USER NOTES



Units 5-8 Ashfield Way, Whitehall Estate, Whitehall Road, Leeds, West Yorkshire, LS12 5JB. Tel: 44 (0) 113 2636268 Fax: 44 (0) 113 2790539

Registered No: GB 1039428 VAT Registration No: GB 170 247 482

