

Distributed by:  
 Laguna Clay Company  
 14400 Lomas Ave  
 City of Industry, CA 91746  
 1-800-4Laguna  
 info@lagunaclay.com  
 www.lagunaclay.com

## MATERIAL SAFETY DATA SHEET

### Section 1 - Material Identity

**Product Trade Name(s):** WG-325

**Common Name(s):** Ground Mica, Ground Muscovite Mica, Ground Potassium Aluminum Silicate

**Chemical Formula:**  $KAl_2SiO_3(OH)_2 \cdot 5H_2O$

**CAS Number:** 12001-26-2

**Physical Form:** White powder

#### HMIS Ratings

Health Hazard	1
Flammability Hazard	0
Reactivity Hazard	0
Max. Personal Protection	E

**Manufacturer's Name & Address:** IMERYS Pigments & Additives Group, 100 Mansell Court East, Suite 300, Roswell, GA 30076

**Emergency Telephone:** (800) 424-9300 CHEMTREC

### Section 2 - Ingredients and Hazards

<u>Ingredient</u>	<u>Wt. % (Approx.)</u>	<u>CAS No.</u>	<u>OSHA PEL*</u>	<u>ACGIH TLV*</u>
Ground Mica	80 - 95%	12001-26-2	20mppcf	3 mg/m <sup>3</sup> Resp.
Crystalline Silica, Quartz	<5%	14808-60-7	0.1 mg/m <sup>3</sup> Resp.	0.025 mg/m <sup>3</sup> Resp.
Kaolin - $Al_2Si_2O_5(OH)_4$	<10%	1332-58-7	5 mg/m <sup>3</sup> Resp.	2mg/m <sup>3</sup> Resp.
Feldspar - $(Na,K,Ca)AlSi_3O_8$	<10%	68476-25-5	5 mg/m <sup>3</sup> Resp.	2 mg/m <sup>3</sup> Resp.
Water	<1%			

\* Unless otherwise noted, all PEL and TLV values are reported as 8 hour time weighted averages (TWA).

### Section 3 - Hazards Identification and Cautions

**Appearance:** White powder.

**Primary Routes of Entry:** Skin contact, skin absorption, eye contact, ingestion; Hazard Classification - None. (Historical basis for classification).

**Target Organs:** Eye, skin and lungs.

**Medical Conditions Aggravated by Exposure:** Skin contact may aggravate existing dermatitis. Breathing excessive quantities of ground mica dust may aggravate pre-existing respiratory conditions.

#### Potential Health Effects:

**Eye Contact:** This product may produce irritation upon contact with the eye. See also Section 4 below.

**Skin Contact:** Prolonged or repeated exposure may cause skin irritation. Ground mica is not expected to be absorbed through the skin in harmful amounts or to produce an allergic skin reaction. See also Section 4 below.

**Ingestion:** No adverse effect is expected. If ingested, seek medical advice. See also Section 4 below.

**Inhalation:** Inhalation of excessive quantities of ground mica dust may irritate the respiratory tract. See also Section 4 below.

**Subchronic, Chronic:** None expected. No applicable information was found concerning any potential health effects resulting from subchronic or chronic exposure to ground mica.

This product typically contains crystalline silica (quartz sand) above 0.1% as a naturally occurring impurity. The International Agency For Research on Cancer has concluded that "crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (Group I)." It also noted that carcinogenicity was not detected in all industrial circumstance studies, and may be dependent on external factors affecting its biological activity or distribution of its polymorphs. (See IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volume 68 (1997).) Exposure to respirable silica has also been associated with silicosis, scleroderma and nephrotoxicity.

(See Occupational Lung Disorders, Third Edition, Chapter 12 (1994) and American Journal of Respiratory and Critical Care Medicine, Volume 155, pp 761-765 (1997).)

### Section 4 - First Aid Measures

<b>Eye Contact:</b>	Follow good industrial hygiene practices. In case of contact, immediately flush eyes with plenty of water. Seek medical aid if necessary.
<b>Skin Contact:</b>	Follow good industrial hygiene practices. Wash affected skin areas thoroughly with soap and water. Seek medical aid if necessary.
<b>Inhalation:</b>	Follow good industrial hygiene practices. If excessive exposure by inhalation is suspected, remove to fresh air. If necessary, a MSHA/NIOSH or OSHA/NIOSH approved respirator is recommended. Seek medical aid if necessary.
<b>Ingestion:</b>	Follow good industrial hygiene practices. If ingested, do not induce vomiting. If conscious, drink two glasses of water. Seek medical aid if necessary.

### Section 5 - Fire Fighting Measures

<b>Explosion Data:</b> Not Explosive	<b>Flammability:</b> Not Flammable or Combustible
<b>LEL:</b> Not Applicable	<b>Flash Point:</b> Not Applicable
<b>UEL:</b> Not Applicable	<b>Auto-Ignition:</b> Not Applicable
<b>Extinguishing Media:</b> Product will not burn.	

**NFPA 704M Hazard Classification:**      **Health:** 1      **Flammable:** 0      **Reactivity:** 0

Use appropriate extinguishing media for packaging material if applicable.

### Section 6 - Accidental Release Measures

Vacuum, pump or scoop spilled material into containers for reclaiming or disposal. Use proper respiratory and personal protective equipment. MSHA/NIOSH or OSHA/NIOSH approved respirator recommended. Spilled materials may cause slippery conditions when wet. Care should be exercised when walking on spills on floors or concrete pads. No neutralizing chemicals required. Material is inert and nonreactive. Ground mica is not a CERCLA listed hazardous substance.

### Section 7 - Handling and Storage

Storage in a cool, dry location is recommended. Keep away from acids. Spilled materials may cause slippery conditions when wet. Care should be exercised when walking on spills on floors or concrete pads. Minimize dust generation & accumulation. If excessive dust is generated, provide adequate ventilation and use proper respiratory and personal protective equipment. MSHA/NIOSH or OSHA/NIOSH approved respirator recommended.

### Section 8 - Exposure Control/Personal Protection

<u>Hazardous Ingredient</u>	<u>Weight % (Approx.)</u>	<u>CAS No.</u>	<u>MSHA PEL</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Muscovite Mica	95 - 99%	12001-26-2		3 mg/m <sup>3</sup> (20 mppcf)	3 mg/m <sup>3</sup> (1WA-8 hours period)
Crystalline Silica (Quartz)	0.1 - 5.0%	14808-60-7		0.1 mg/m <sup>3</sup> f % Si <sub>2</sub>	0.025 mg/m <sup>3</sup>

Unless otherwise noted, all PEL and TLV values are reported as 8 hour time weighted averages (TWA).

<b>Respiratory Protection:</b>	If respirator is required, use of a MSHA/NIOSH or OSHA/NIOSH approved respirator is recommended.
<b>Ventilation:</b>	Use exhaust ventilation, if required, to maintain dust concentration below recommended exposure limits.
<b>Protective Equipment:</b>	Wear side shield safety glasses. Rubber gloves are recommended for prolonged exposure.

### Section 9 - Physical and Chemical Properties

<b>Physical State:</b>	<b>Solid</b>	<b>Boiling Point:</b>	Not Applicable
<b>Appearance &amp; Odor:</b>	Odorless powder	<b>Freezing Point:</b>	Not Applicable
<b>pH (Aqueous Suspension):</b>	7 - 8	<b>Vapor Pressure:</b>	Not Applicable
<b>Specific Gravity:</b>	2.8 g/cc (WATER = 1)	<b>Vapor Density:</b>	Not Applicable
<b>% Solubility in Water:</b>	Insoluble	<b>VOC:</b>	None
<b>Melting Point:</b>	Not Applicable	<b>% Volatiles by Volume:</b>	Not Applicable

### Section 10 - Stability and Reactivity

Chemically Stable? Yes  No   
 Compatible with Other Substances? Yes  No  (See below)  
**Hazardous Decomposition/By-Products:** No hazardous decomposition or by-products expected.  
**Conditions Contributing to Hazardous Polymerization:** None, inert and nonreactive.  
**Incompatibility (Materials to Avoid):** None known.

### Section 11 - Disposal Considerations

**EPA Waste Number:** Under RCRA (40 CFR 261) ground mica is a non-hazardous waste. Dispose of waste material in accordance

**Section 12 - Toxicological Information**

Muscovite Mica - CAS No. 12001-26-2

Primary Route of Exposure:  Skin;  Eye Contact;  Inhalation;  Ingestion

**Acute Health Hazards:**

Eye contact may cause mechanical irritation.

Skin contact may aggravate existing dermatitis.

Inhalation from prolonged and continuous exposure to excessive quantities of dust may aggravate existing asthmatic or respiratory conditions.

**Chronic Health Hazards\*:**

Carcinogenicity\*: NTP? No IARC? No OSHA? No

Mutagenicity: None known Teratogenicity: None known Reproductive Effects: None known

\* Dangerous Properties of Industrial Materials, 7th Edition, pp 667, Sax and Lewis 1989.

\* See Section 3 for discussion of crystalline silica.

**Section 13 - Transport Information**

EPA Waste Number: Not Regulated

DOT Classification: Not Regulated DOT/IMO Classification: Not Regulated

Internal UN: Not Regulated

**Section 14 - Regulatory Information**

SARA Title III Section 302 Extremely Hazardous Substances: This product does not contain extremely hazardous substances subject to the reporting requirements of Section 302 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 355.

SARA Title III Section 311 and 312 Health and Physical Hazard Categories per 40 CFR 370.2:

<u>Immediate</u>	<u>Delayed</u>	<u>Fire</u>	<u>Pressure</u>	<u>Reactivity</u>
Yes	Yes	No	No	No

SARA Section 313 Notification: This product does not contain toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

TSCA: Product is listed in Initial Inventory, Vol. 1, Appendix A, CAS No. 12001-26-2.

The International Agency for Research on Cancer has concluded that "crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (Group 1)." It also noted that carcinogenicity was not detected in all industrial circumstance studies, and may be dependent on external factors affecting its biological activity or distribution of its polymorphs. (See IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volume 68 (1997).) Exposure to respirable silica has also been associated with silicosis, scleroderma, and nephrotoxicity. (See Occupational Lung Disorders, Third Edition, Chapter 12 (1994) and American Journal of Respiratory and Critical Care Medicine, Volume 155, pp 761-765 (1997).)


**WARNING:** This product may also contain extremely small amounts of one or more naturally-occurring materials known to the State of California to cause cancer, birth defects, or other reproductive harm.

While this information and recommendations set forth herein are believed to be accurate as of the date hereof, IMERYS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

IMERYS is a business name of IMERYS Pigments, Inc., IMERYS Kaolin, Inc., IMERYS Marble, Inc., Imerys Mica Kings Mountain, Inc. and Imerys Mica Suzorite, Inc. Registered in the USA. Registered Office: 100 Mansell Court East, Suite 300, Roswell, GA 30076.

Date Prepared: 07/27/82

Revised: 05/08/2012



The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. Any information relating to usage is for guidance purposes only.