# Palabora Copper (Pty) Limited

# **Material Safety Data Sheet**

## Vermiculite

SUPPLIER DETAILS				
Supplier Name:	Palabora Copper (Pty) Ltd	Emergency Telephone Number:	+27 (0)15 780 2666	
Address:	PO Box 65	E-Mail Address:	palabora.msds@palabora.co.za	
	1 Copper Road Phalaborwa 1390	Telephone Number:	+27 (0)15 780 2281	
	South Africa	URL / WebPages:	http://www.palabora.com/	
Person Responsible for Updating MSDS:	Manager: Environment & SHEQ MS			
1. PRODUCT IDENTIFICATION				
Chemical Names and Synonyms: Vermiculite & Jefferisite or Vaalite		UN Number:		
CAS Number:		NIOSH Number:		
2. COMPOSITION				

Vermiculite is the mineralogical name given to hydrated laminar mangesium-aluminum-iron silicates which resemble mica in appearance. When subjected to heat, crude vermiculite has the unusual property of exfoliating or expanding into worm-like particles (the name vermiculite is derived from the Latin 'vermiculare', meaning to breed worms.)

#### Main components:

Name	Chemical formula	Amount
Vermiculite	(Mg,Fe <sup>2+</sup> , Al) <sub>3</sub> (Al,Si))O <sub>10</sub> (OH) <sub>2</sub> 4H2O	85 -95%
Apatite	Ca <sub>5</sub> (F,Cl) (PO <sub>4</sub> ) <sub>3</sub>	<5%
Mica phlogopite	K2(Mg,Fe2 <sup>+</sup> ) <sub>6</sub> (Si <sub>6</sub> Al <sub>2</sub> )O <sub>20</sub> (OH, F) <sub>4</sub>	<5%
Diopside	Ca(Mg, Fe <sup>2+</sup> )Si <sub>2</sub> O <sub>6</sub>	<5%
Alpha cristobalite & Tridymite	SiO <sub>2</sub>	<0.1%
Alpha Quartz	SiO <sub>2</sub>	0.01– 0.05%

Vermiculite CAS No -1318-00-9

ACGIH TLV(T) -10 mg/m3 ACGIH TLV (R) - 3 mg/m3, Other - 30 mppcf

# Palabora Copper (Pty) Limited

## **3. HAZARDOUS IDENTIFICATION**

Symptoms of overexposure for each potential route of exposure: Inhaled - Coughing Contact with skin or eyes - Possible eye irritation from dust particles; wear eye protection Absorbed through skin - N/A Swallowed - N/A

#### Health effects or risks from exposure:

Acute - None Chronic - Excessive inhalation over long period may cause harmful irritation; use mask suitable for nuisance dust. Target Organ - None

### 4. FIRST AID MEASURES

Inhalation:Induced coughingSkin contact:HarmlessEye contact:Flush eyes with plenty of running water for 10 minutes.<br/>See medical doctor if particles are still lodged in the eye.

## **5. FIRE FIGHTING MEASURES**

Flash point: Vermiculite is an inorganic, fully oxidized, non-flammable and non-combustible material.

#### 6. ACCIDENTAL RELEASE MEASURES

Use - Area should be well ventilated. Prevent flakes from entering the eyes. Do not inhale dust.

Personal protective equipment (minimum required) - Use eye protection to prevent particles from entering eye. If dust levels are high - use a dust mask (FFP2).

Spill response procedures - (include employee protection measures) - Vacuum clean or sweep material, use dust masks suitable for nuisance dust (FFP2) and eye protection.

# 7. HANDLING AND STORAGE

#### Handling:

Ventilation and engineering controls: maintain dust level below TLV. Respiratory protection (type): masks suitable for nuisance dust (FFP2). Eye protection (type): protective goggles or similar.

#### Storage:

Maintain good housekeeping to avoid transient dust.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation and engineering controls: maintain dust level below TLV.

Respiratory protection (type): masks suitable for nuisance dust.

Eye protection (type): protective goggles or similar where there is a risk of penetrative eye injuries.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Golden brown alkaline flakes.

Odourless

Insoluble in water. Insoluble in organic solvents. Soluble in strong mineral acids.

pH: 8.0 to 9.0. (40g/l water at 20°C)

Slightly-abrasive, non-irritant, reflecting & rot-proof.

Melting point: 1350°C (collapse and coalescence of the individual flakes begin at this temperature)

Specific gravity: 2.5 g/cm3

Decomposition temperature: Stable liquidus state is achieved at temperatures of circa 1570°C and sintering occurs at temperatures above 1600°C. The decomposition temperature has never been determined.

## **10. STABILITY AND REACTIVITY**

Stable.

# Palabora Copper (Pty) Limited

# **11. TOXICOLOGICAL INFORMATION**

Additional toxicology :-

Salmonella typhimurium mutagenicity - Not mutagenic at extract concentrations below 2 000 g/l.

Frog (Xenopus leavis) embryo teratogenicity:- Not teratogenic at extract concentrations below 1 000 g/l.

# 12. ECOLOGICAL INFORMATION

No current data available

#### 13. DISPOSAL CONSIDERATIONS

Dispose in bulk or containers according to local dump requirements. No special treatment required.

Note: dispose of all wastes in accordance with federal, state, and local regulations.

#### **14. TRANSPORT INFORMATION**

Not regulated.

### **15. REGULATORY INFORMATION**

No specific requirements under CHIP Regulations.

## **16. OTHER INFORMATION**

- 1) Compiles according to the CHIP Regulations 1994. (Directive 1/155/EEC).
- 2) N/A = not applicable. <= smaller or less than. CAS = Chemical Abstract Services.
- 3) Further H & S data is available from Palabora Copper (Pty) Ltd.
- 4) Vermiculite has been tested and proven not to be radioactive

#### Indication of the changes made to the previous version of the SDS:

This revision 1.1 of the Palabora crude vermiculite SDS has been revised in accordance with the requirements of Palabora Copper (Pty) Ltd

#### Third party materials:

As far as materials not supplied by Palabora Copper (Ptd) Ltd are used in conjunction with, or instead of Palabora Copper (Pty) Ltd material, it is the responsibility of the customer themselves to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of Palabora crude vermiculite in conjunction with materials from another supplier.

#### DISCLAIMER

All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors or omissions or the consequences thereof. It is the user's obligation to determine the conditions of safe use of the material, all risks of use of the product are therefore assumed by the user and we expressly disclaim all warranties of every kind and nature, including warranties of merchantability and fitness for a particular purpose in respect to the use or suitability of the product.